

TECHNICAL DATA SHEET

JOKISCH MIGMA RINO KSG (Jokisch Corrosion Protection Additiv WMK)

To improve the corrosion protection properties of water-soluble cooling lubricants.

APPLICATION

The addition should be done at a turbulent point.

CHARACTERISTICS

- Corrosion protection

PROPOSED CONCENTRATION

The concentration depends on the desired effect and should be about 1-5% in the emulsion.

TECHNICAL SPECIFICATIONS


	UNIT	METHOD	JOKISCH MIGMA RINO KSG
Kin. viscosity at 20°C	mm ² /s	ASTM D 7042	10,3
Density at 20°C	g/cm ³	DIN EN ISO 12185	1,06
pH-value at 20°C	-	DIN 51369	9,5
Flash point	°C	-	> 100

This information is based on the latest state of knowledge. They are intended to describe the product and thus do not have the meaning to assure certain properties. A liability can not be derived from this.

STORAGE

Storage temperature: 5 – 40°C
Storage time: 12 months

Date: 23.08.2016



JosS d.o.o.
General Distributor for Slovenia, Croatia, BiH, Serbia,
Montenegro, Kosovo and North Macedonia

Sokolska 45 | 2000 Maribor | Slovenia
T +386 2 421 57 20 | GSM +386 41 705 509
joss@joss.si | www.joss.si

